



ISIS5326.ST25.txt
SEQUENCE LISTING

<110> Baker, Brenda F.
Eldrup, Anne B.
Manoharan, Muthiah
Bhat, Balkrishen
Griffey, Richard
Swayze, Eric E.
Crooke, Stanley T.

<120> MODIFIED OLIGONUCLEOTIDES FOR USE IN RNA INTERFERENCE

<130> ISIS-5326

<140> US 10/700,930

<141> 2003-11-04

<150> US 60/503,521

<151> 2003-09-16

<150> US 60/423,760

<151> 2002-11-05

<150> US 10/078,949

<151> 2002-02-20

<150> US 09/479,783

<151> 2000-01-07

<150> US 08/870,608

<151> 1997-06-06

<150> US 08/659,440

<151> 1996-06-06

<160> 113

<170> PatentIn version 3.2

<210> 1

<211> 19

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 1

cgagaggcgg acgggaccg

19

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 2

cgagaggcgg acgggaccgt t

21

<210> 3

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<400> 3
cggtcccgtc cgcctctcgt t 21

<210> 4
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methoxyethyl

<220>
<221> misc_feature
<222> (13)..(20)
<223> 2'-O-methoxyethyl

<400> 4
tccgtcatcg ctcctcaggg 20

<210> 5
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methoxyethyl

<220>
<221> misc_feature
<222> (16)..(20)
<223> 2'-O-methoxyethyl

<400> 5
gtgcgcgcga gcccgaatc 20

<210> 6
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methoxyethyl

<220>
<221> misc_feature
<222> (16)..(20)
<223> 2'-O-methoxyethyl

<400> 6
 atgcattctg cccccaagga 20

<210> 7
 <211> 12
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 7
 cgcgaaucg cg 12

<210> 8
 <211> 12
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 8
 gcgcuaaagc gc 12

<210> 9
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 9
 ccuuuuuguc ucugguccuu 20

<210> 10
 <211> 19
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<400> 10
 ccuuuuuguc ucuggccuu 19

<210> 11
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (1)..(19)
 <223> ribonucleosides

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> deoxy thymidines

<400> 11
 caaauccaga ggcuagcagt t

21

<210> 12
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (6)..(18)
 <223> ribonucleosides

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> deoxy thymidines

<400> 12
 cugcuagccu cuggauuugt t

21

<210> 13
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> ribonucleoside

<220>
 <221> misc_feature
 <222> (2)..(6)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (7)..(19)

<223> ribonucleosides

<220>

<221> misc_feature

<222> (20)..(21)

<223> deoxy thymidines

<400> 13

cugcuagccu cuggauuugt t

21

<210> 14

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(2)

<223> ribonucleosides

<220>

<221> misc_feature

<222> (1)..(21)

<223> phosphodiester linkages

<220>

<221> misc_feature

<222> (3)..(7)

<223> 2'-O-methyl

<220>

<221> misc_feature

<222> (8)..(19)

<223> ribonucleosides

<220>

<221> misc_feature

<222> (20)..(21)

<223> deoxy thymidines

<400> 14

cugcuagccu cuggauuugt t

21

<210> 15

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(3)

<223> ribonucleosides

<220>

<221> misc_feature

<222> (1)..(21)

<223> phosphodiester linkages

<220>

<221> misc_feature

<222> (4)..(8)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (9)..(19)
 <223> ribonucleosides

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> deoxy thymidines

<400> 15
 cugcuagccu cuggauuugt t

21

<210> 16
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> ribonucleosides

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (5)..(9)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (10)..(19)
 <223> ribonucleosides

<220>
 <221> misc_feature
 <222> (20)..(21)
 <223> deoxy thymidines

<400> 16
 cugcuagccu cuggauuugt t

21

<210> 17
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphodiester linkages

<220>

```

<221> misc_feature
<222> (13)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 17
cugcuagccu cuggauuugu u 21

<210> 18
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(21)
<223> phosphodiester linkages

<220>
<221> misc_feature
<222> (8)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 18
cugcuagccu cuggauuugu u 21

<210> 19
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphodiester linkages

<400> 19
aaguaaggac cagagacaaa 20

<210> 20
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<400> 20
uuugucucug guccuuacuu 20

<210> 21
<211> 20
<212> RNA

```

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> phosphorothioate linkages

<220>

<221> misc_feature

<222> (18)..(20)

<223> 2'-O-methyl modified nucleoside

<400> 21

uuugucucug guccuuacuu

20

<210> 22

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> phosphorothioate linkages

<220>

<221> misc_feature

<222> (15)..(17)

<223> 2'-O-methyl modified nucleoside

<400> 22

uuugucucug guccuuacuu

20

<210> 23

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> phosphorothioate linkages

<220>

<221> misc_feature

<222> (12)..(14)

<223> 2'-O-methyl modified nucleoside

<400> 23

uuugucucug guccuuacuu

20

<210> 24

<211> 20

<212> RNA

<213> Artificial Sequence


```

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-O-methyl modified nucleoside

<400> 24
uuugucucug guccuuacuu 20

<210> 25
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<220>
<221> misc_feature
<222> (6)..(8)
<223> 2'-O-methyl modified nucleoside

<400> 25
uuugucucug guccuuacuu 20

<210> 26
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-O-methyl modified nucleoside

<400> 26
uuugucucug guccuuacuu 20

<210> 27
<211> 20
<212> RNA
<213> Artificial Sequence

```

```

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methyl modified nucleoside

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<400> 27
uuugucucug guccuuacuu 20

<210> 28
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-methyl modified nucleoside

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphothioate linkages

<400> 28
cugcuagccu cuggauuugu u 21

<210> 29
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphodiester linkages

<400> 29
gucaaaucga gaggcua g 21

<210> 30
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature

```

```

<222> (1)..(5)
<223> 2'-O-methyl modified nucleoside

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<400> 30
cugcuagccu cuggauuuga c 21

<210> 31
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 31
cugcuagccu cuggauuuga c 21

<210> 32
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(21)
<223> phosphodiester linkages

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 32
caaauccaga ggcuagcagu u 21

<210> 33
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(21)
<223> phosphorothioate linkages

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-methyl modified nucleoside

<400> 33
cugcuagccu cuggauuugu u 21

```

<210> 34
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphorothioate linkages

<400> 34
 cugcuagccu cuggauuugu u 21

<210> 35
 <211> 21
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> phosphodiester linkages

<400> 35
 caaauccaga ggcuagcagu u 21

<210> 36
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphorothioate linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-methyl modified nucleoside

<400> 36
 uuugucucug guccuuacuu 20

<210> 37
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature

```

<222> (1)..(20)
<223> phosphorothioate linkages

<220>
<221> misc_feature
<222> (14)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 37
uuugucucug guccuuacuu 20

<210> 38
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphorothioate linkages

<220>
<221> misc_feature
<222> (12)..(20)
<223> 2'-O-methyl modified nucleoside

<400> 38
uuugucucug guccuuacuu 20

<210> 39
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers with PO linkages

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers with PO linkages

<400> 39
cugcuagccu cuggauuuga 20

<210> 40
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)

```

<223> 2'-O-Me containing monomers with PO linkages

<220>

<221> misc_feature

<222> (17)..(20)

<223> 2'-O-Me containing monomers with PO linkages

<400> 40

cugcuagccu cuggauuuga

20

<210> 41

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (2)..(3)

<223> PS linkage

<220>

<221> misc_feature

<222> (4)..(7)

<223> 2'-O-Me containing monomers with PS linkages

<220>

<221> misc_feature

<222> (17)..(17)

<223> 2'-O-Me containing monomers with PO linkage

<220>

<221> misc_feature

<222> (18)..(20)

<223> 2'-O-Me containing monomers with PS linkages

<400> 41

cugcuagccu cuggauuuga

20

<210> 42

<211> 17

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(1)

<223> 2'-O-Me containing monomers with PO linkage

<220>

<221> misc_feature

<222> (2)..(4)

<223> 2'-O-Me containing monomers with PS linkages

<220>

<221> misc_feature

<222> (14)..(14)

<223> 2'-O-Me containing monomers with PO linkage

<220>

<221> misc_feature

```

<222> (15)..(17)
<223> 2'-O-Me containing monomers with PS linkages

<400> 42
cuagccucug gauuuga 17

<210> 43
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (2)..(20)
<223> PS linkages

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers

<400> 43
cugcuagccu cuggauuuga 20

<210> 44
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-O-Me containing monomers

<400> 44
cuagccucug gauuuga 17

<210> 45
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

```

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers having PS linkages

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-O-Me containing monomers

<400> 45
gucucugguc cuuacuu

17

<210> 46
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers with PS linkages

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-O-Me containing monomers

<400> 46
uuuugucucu gguccuu

17

<210> 47
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (2)..(17)
<223> monomers having PS linkages

<220>
<221> misc_feature

<222> (14)..(17)
 <223> 2'-O-Me containing monomers

<400> 47
 cugguccuua cuucccc

17

<210> 48
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-O-Me containing monomers

<400> 48
 uuugucucug guccuuacuu

20

<210> 49
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (2)..(20)
 <223> monomers having PS linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-O-Me containing monomers

<400> 49
 ucucuggucc uuacuucccc

20

<210> 50
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

```

<220>
<221> misc_feature
<222> (2)..(20)
<223> monomers having PS linkages

<220>
<221> misc_feature
<222> (4)..(7)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (17)..(20)
<223> 2'-O-Me containing monomers

<400> 50
uuugucucug guccuuacuu 20

<210> 51
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (8)..(12)
<223> 2'-O-Me containing monomers

<400> 51
cugcuagccu cuggauuugt t 21

<210> 52
<211> 21
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-Me containing monomers

<400> 52
cugcuagccu cugaauuugu u 21

<210> 53
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-O-Me containing monomers

```

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (6)..(6)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> 2'-O-Me containing monomers

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> 2'-O-Me containing monomers

<400> 53
 cugcuagccu cuggauuugu t

21

<210> 54
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(6)
 <223> 2'-O-Me containing monomers

<400> 54
 cugcuagccu cuggauuugt t

21

<210> 55
 <211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (2)..(6)
<223> 2'-O-Me containing monomers

<400> 55
cugcuagccu cuggauuugt t

21

<210> 56
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (3)..(7)
<223> 2'-O-Me containing monomers

<400> 56
cugcuagccu cuggauuugt t

21

<210> 57
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(8)
<223> 2'-O-Me containing monomers

<400> 57
cugcuagccu cuggauuugt t

21

<210> 58
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (5)..(10)
<223> 2'-O-Me containing monomers

<400> 58
cugcuagccu cuggauuugt t

21

<210> 59
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(2)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (4)..(5)
<223> 2'-O-Me containing monomers

<400> 59
cugcuagccu cuggauuugt t 21

<210> 60
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (10)..(11)
<223> 2'-O-Me containing monomers

<400> 60
cugcuagccu cuggauuugt t 21

<210> 61
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (8)..(9)
<223> 2'-O-Me containing monomers

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-Me containing monomers

<400> 61
cugcuagccu cuggauuugt t 21

<210> 62
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (13)..(21)

<223> 2'-O-Me containing monomers

<400> 62

cugcuagccu cuggauuugu u

21

<210> 63

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (8)..(21)

<223> 2'-O-Me containing monomers

<400> 63

cugcuagcct ctggatttgu u

21

<210> 64

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (17)..(21)

<223> 2'-O-Me containing monomers

<400> 64

cugcuagccu cuggauuuga c

21

<210> 65

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (17)..(21)

<223> 2'-O-Me containing monomers

<400> 65

cugcuagccu cuggauuugu u

21

<210> 66

<211> 21

<212> DNA

<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(5)
<223> 2'-O-Me containing monomers

<400> 66
cugcuagccu cuggauuugt t 21

<210> 67
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(2)
<223> 2'-O-Me containing monomers

<400> 67
cugcuagccu cuggauuugt t 21

<210> 68
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-O-Me containing monomers

<400> 68
cugcuagccu cuggauuugt t 21

<210> 69
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-O-Me containing monomers

<400> 69
cugcuagccu cuggauuugt t 21

<210> 70
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (15)..(21)
<223> 2'-O-Me containing monomers

<400> 70
cugcuagccu cuggauuugt t

21

<210> 71
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(19)
<223> 2'-F containing monomers with PO linkages

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5-methyl cytidine

<220>
<221> misc_feature
<222> (4)..(4)
<223> 5-methyl cytidine

<220>
<221> misc_feature
<222> (7)..(8)
<223> 5-methyl cytidine

<220>
<221> misc_feature
<222> (10)..(10)
<223> 5-methyl cytidine

<400> 71
cugcuagccu cuggauuugt t

21

<210> 72
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (3)..(21)
<223> 2'-F containing monomers with PO linkages

<220>
<221> misc_feature


```

<222> (5)..(5)
<223> 5-methyl cytidine

<220>
<221> misc_feature
<222> (9)..(9)
<223> 5-methyl cytidine

<220>
<221> misc_feature
<222> (15)..(16)
<223> 5-methyl cytidine

<220>
<221> misc_feature
<222> (21)..(21)
<223> 5-methyl cytidine

<400> 72
ttgacgaucg gagaccuaaa c
21

<210> 73
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> 2'-F containing monomers with PO linkages

<400> 73
uuugucucug guccuuacuu
20

<210> 74
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)
<223> 2'-F containing monomers with PO linkages

<400> 74
aaacagagac caggaugaa
20

<210> 75
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(20)

```

<223> 2'-F containing monomers with PS linkages

<400> 75

uuugucucug guccuuacuu

20

<210> 76

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(14)

<223> monomers with PS linkages

<220>

<221> misc_feature

<222> (15)..(17)

<223> 2'-F containing monomers with PS linkages

<220>

<221> misc_feature

<222> (18)..(20)

<223> monomers with PS linkages

<400> 76

uuugucucug guccuuacuu

20

<210> 77

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(11)

<223> monomers with PS linkages

<220>

<221> misc_feature

<222> (12)..(14)

<223> 2'-F containing monomers with PS linkages

<220>

<221> misc_feature

<222> (15)..(20)

<223> monomers with PS linkages

<400> 77

uuugucucug guccuuacuu

20

<210> 78

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(8)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (9)..(20)
 <223> monomers with PS linkages

<400> 78
 uuugucucug guccuuacuu

20

<210> 79
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> monomers with PS linkages

<220>
 <221> misc_feature
 <222> (3)..(5)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (6)..(20)
 <223> monomers with PS linkages

<400> 79
 uuugucucug guccuuacuu

20

<210> 80
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(20)
 <223> Monomers with PS linkages

<400> 80
 uuugucucug guccuuacuu

20

<210> 81
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(17)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 2'-F containing monomers with PS linkages

<400> 81
 uuugucucug guccuuacuu

20

<210> 82
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (9)..(11)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (12)..(20)
 <223> Monomers with PS linkages

<400> 82
 uuugucucug guccuuacuu

20

<210> 83
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(15)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> 2'-F containing monomers with PS linkages

```

<400> 83
uuugucucug guccuuacuu 20

<210> 84
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(2)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (6)..(20)
<223> Monomers with PS linkages

<400> 84
uuugucucug guccuuacuu 20

<210> 85
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(2)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (3)..(5)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (6)..(11)
<223> Monomers with PS linkages

<220>
<221> misc_feature
<222> (12)..(14)
<223> 2'-F containing monomers with PS linkages

<220>
<221> misc_feature
<222> (15)..(20)
<223> Monomers with PS linkages

<400> 85
uuugucucug guccuuacuu 20

```

<210> 86
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(20)
 <223> Monomers with PS linkages

<400> 86
 uuugucucug guccuuacuu

20

<210> 87
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(17)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Monomers with PS linkages

<400> 87
 uuugucucug guccuuacuu

20

<210> 88
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers

<400> 88
 uuugucucug guccuuacuu

20

<210> 89
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> Monomer with PS linkage

<220>
 <221> misc_feature
 <222> (5)..(7)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (8)..(13)
 <223> Monomers with PS linkages

<220>
 <221> misc_feature
 <222> (14)..(16)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> Monomer with PS linkage

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> 2'-F containing monomers with PS linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Monomer with PS linkage

<400> 89
 uuugucucug guccuuacuu

20

<210> 90
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(2)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> 2'-OMe

<220>
 <221> misc_feature
 <222> (4)..(5)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (6)..(7)
 <223> 2'-OMe

<220>
 <221> misc_feature
 <222> (8)..(12)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (13)..(15)
 <223> 2'-OMe

<220>
 <221> misc_feature
 <222> (16)..(18)
 <223> 2'-F containing monomers with PO linkages

<220>
 <221> misc_feature
 <222> (19)..(20)
 <223> 2'-OMe

<400> 90
 cugcuagccu cuggauuugu t

21

<210> 91
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> PS linkages

<220>
 <221> misc_feature
 <222> (8)..(9)
 <223> 2'-F containing monomers

<220>
 <221> misc_feature
 <222> (12)..(13)
 <223> 2'-F containing monomers


```

<220>
<221> misc_feature
<222> (18)..(20)
<223> 2'-OMe

<400> 91
uuugucucug guccuuacuu 20

<210> 92
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<400> 92
uucauuccug gucucuguuu 20

<210> 93
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-OMOE

<400> 93
uucauuccug gucucuguuu 20

<210> 94
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (4)..(6)
<223> 2'-OMOE

<400> 94
uucauuccug gucucuguuu 20

<210> 95
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (7)..(9)
<223> 2'-OMOE

```

<400> 95
uucauuccug gucucuguuu 20

<210> 96
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (10)..(12)
<223> 2'-OMOE

<400> 96
uucauuccug gucucuguuu 20

<210> 97
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-OMOE

<400> 97
uucauuccug gucucuguuu 20

<210> 98
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (16)..(18)
<223> 2'-OMOE

<400> 98
uucauuccug gucucuguuu 20

<210> 99
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature

<222> (1)..(3)
 <223> 4'-thioribonucleosides

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 4'-thioribonucleosides

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 4'-thioribonucleosides

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 4'-thioribonucleosides

<400> 99
 uuugucucug guccuuacuu

20

<210> 100
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 4'-thioribonucleosides

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 4'-thioribonucleosides

<220>
 <221> misc_feature
 <222> (6)..(15)
 <223> phosphothioate linkages

<220>
 <221> misc_feature
 <222> (16)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 4'-thioribonucleosides

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 4'-thioribonucleosides

<400> 100
uuugucucug guccuuacuu

20

<210> 101
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(3)
<223> 4'-thioribonucleosides

<220>
<221> misc_feature
<222> (1)..(20)
<223> phosphodiester linkages

<220>
<221> misc_feature
<222> (5)..(9)
<223> 4'-thioribonucleosides

<220>
<221> misc_feature
<222> (12)..(20)
<223> 4'-thioribonucleosides

<400> 101
uuugucucug guccuuacuu

20

<210> 102
<211> 20
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> phosphodiester linkage

<220>
<221> misc_feature
<222> (1)..(3)
<223> 4'-thioribonucleosides

<220>
<221> misc_feature
<222> (2)..(20)
<223> phosphothioate linkages

<220>
<221> misc_feature
<222> (5)..(9)
<223> 4'-thioribonucleosides

<220>
<221> misc_feature
<222> (12)..(13)

<223> 4'-thioribonucleosides

<220>

<221> misc_feature

<222> (15)..(18)

<223> 4'-thioribonucleosides

<220>

<221> misc_feature

<222> (20)..(20)

<223> 4'-thioribonucleosides

<400> 102

uuugucucug guccuuacuu

20

<210> 103

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> phosphothioate linkages

<400> 103

uuugucucug guccuuacuu

20

<210> 104

<211> 20

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> phosphodiester linkages

<220>

<221> misc_feature

<222> (20)..(20)

<223> 4'-thioribonucleoside

<400> 104

uuugucucug guccuuacuu

20

<210> 105

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc_feature

<222> (1)..(20)

<223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 4'-thioribonucleoside

<400> 105
 uuugucucu gguccuacu u

21

<210> 106
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> 4'-thioribonucleoside

<220>
 <221> misc_feature
 <222> (18)..(20)
 <223> 4'-thioribonucleoside

<400> 106
 uuugucucug guccuacuu

20

<210> 107
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (13)..(15)
 <223> 4'-thioribonucleoside

<400> 107
 uuugucucug guccuacuu

20

<210> 108
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (12)..(14)
 <223> 4'-thioribonucleoside

<400> 108
 uuugucucug guccuuacuu

20

<210> 109
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (7)..(9)
 <223> 4'-thioribonucleoside

<400> 109
 uuugucucug guccuuacuu

20

<210> 110
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(3)
 <223> 4'-thioribonucleoside

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<400> 110
 uuugucucug guccuuacuu

20

<210> 111
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>

<221> misc_feature
 <222> (1)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> 3'-abasic ribonucleoside

<400> 111
 uuugucucug guccuuacuu

20

<210> 112
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (6)..(15)
 <223> phosphothioate linkages

<220>
 <221> misc_feature
 <222> (17)..(20)
 <223> phosphodiester linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> 3'-abasic ribonucleoside

<400> 112
 uuugucucug guccuuacuu

20

<210> 113
 <211> 20
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> phosphodiester linkage

<220>
 <221> misc_feature
 <222> (2)..(19)
 <223> phosphothioate linkages

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> 3'-abasic ribonucleoside with phosphothioate linkage

<400> 113
uuugucucug guccuuacuu

20